Contents

Number 1 October 1998

1 **Characterization of the TAC box, a *cis*-element within an elicitor-inducible sesquiterpene cyclase promoter.** *J.D. Newman, S. Yin and J. Chappell*

13 **Non-toxic concentrations of cadmium inhibit systemic movement of turnip vein clearing virus by a salicylic acid-independent mechanism.** *V. Citovsky, S. Ghoshroy, F. Tsui and D. Klessig*

21 **The *titan* mutants of *Arabidopsis* are disrupted in mitosis and cell cycle control during seed development.** *C. Liu and D.W. Meinke*

33 **A mutant deficient in the plastid lipid DGD is defective in protein import into chloroplasts.** *L.-J. Chen and H.-m. Li*

41 **The bifactorial endosperm box of γ-zein gene: characterisation and function of the Pb3 and GZM *cis*-acting elements.** *P. Marzábal, P.K. Busk, M.D. Ludevid and M. Torrent*

53 **An endosperm-specific DOF protein from barley, highly conserved in wheat, binds to and activates transcription from the prolamin-box of a native B-hordein promoter in barley endosperm.** *M. Mena, J. Vicente-Carbajosa, R.J. Schmidt and P. Carbonero*

63 **High affinity RGD-binding sites at the plasma membrane of *Arabidopsis thaliana* links the cell wall.** *H. Canut, A. Carrasco, J.-P. Galaud, C. Cassan, H. Bouyssou, N. Vita, P. Ferrara and R. Pont-Lezica*

73 SHORT COMMUNICATION
The glutathione-deficient, cadmium-sensitive mutant, *cad2-1*, of *Arabidopsis thaliana* is deficient in γ-glutamylcysteine synthetase. *C.S. Cobbett, M.J. May, R. Howden and B. Rolls*

79 SHORT COMMUNICATION
Presence of miniature inverted-repeat transposable elements (MITEs) in the genome of *Arabidopsis thaliana*: characterisation of the *Emigrant* family of elements. *E. Casacuberta, J.M. Casacuberta, P. Puigdomènech and A. Monfort*

87 SHORT COMMUNICATION
Cytoplasmic acidification and current influx follow growth pulses of *Lilium longiflorum* pollen tubes. *M.A. Messerli and K.R. Robinson*

93 SHORT COMMUNICATION
A bHLH transcription factor mediates organ, region and flower type specific signals on dihydroflavonol-4-reductase (*dfr*) gene expression in the inflorescence of *Gerbera hybrida* (Asteraceae). *P. Elomaa, M. Mehto, M. Kotilainen, Y. Helariutta, L. Nevalainen and T.H. Teeri*

101 SHORT COMMUNICATION
Cytoplasmic polyamines block the fast-activating vacuolar cation channel. *L.I. Brüggemann, I.I. Pottosin and G. Schönknecht*

107 TECHNICAL ADVANCE
Co-ordinated expression of multiple enzymes in different subcellular compartments in plants. *S. Dasgupta, G.B. Collins and A.G. Hunt*

117 TECHNICAL ADVANCE
Generation of co-dominant PCR-based markers by duplex analysis on high resolution gels. *M.-T. Hauser, F. Adhami, M. Dorner, E. Fuchs and J. Glössl*

127 TECHNICAL ADVANCE
Characterisation of the ethanol-inducible *alc* gene expression system for transgenic plants. *M.G. Salter, J.A. Paine, K.V. Riddell, I. Jepson, A.J. Greenland, M.X. Caddick and A.B. Tomsett*

Number 2 October 1998

133 **Properties of proteins and the glassy matrix in maturation-defective mutant seeds of *Arabidopsis thaliana*.** *W. Wolkers, M. Alberda, M. Koornneef, K.M. Léon-Kloosterziel and F.A. Hoekstra*

145 **Mutations in *Arabidopsis thaliana* genes involved in the tryptophan biosynthesis pathway affect root waving on tilted agar surfaces.** *R. Rutherford, P. Gallois and P.H. Masson*

155 **Enhancement of the tolerance of *Arabidopsis* to high temperatures by genetic engineering of the synthesis of glycinebetaine.** *Alia, H. Hayashi, A. Sakamoto and N. Murata*

163 **Expression of a yeast-derived invertase in developing cotyledons of *Vicia narbonensis* alters the carbohydrate state and affects storage functions.** *H. Weber, U. Heim, S. Golombek, L. Borisjuk, R. Manteuffel and U. Wobus*

173 **Cytosolic acidification but not auxin at physiological concentration is an activator of MAP kinases in tobacco cells.** *G. Tena and J.P. Renaudin*

183 **Fine structure in cellulose microfibrils: NMR evidence from onion and quince.** *M.A. Ha, D.C. Apperley, B.W. Evans, I.M. Huxham, W.G. Jardine, R.J. Viëtor, D. Reis, B. Vian and M.C. Jarvis*

191 **Changes in the cytoskeleton accompanying infection-induced nuclear movements and the hypersensitive response in plant cells invaded by rust fungi.** *D. Škalamera and M.C. Heath*

201 **Multiple photoreceptors mediate the light-induced reduction of GUS-COP1 from Arabidopsis hypocotyl nuclei.** *M.T. Osterlund and X.-W. Deng*

209 **Differential expression of a senescence-enhanced metallothionein gene in *Arabidopsis* in response to isolates of *Peronospora parasitica* and *Pseudomonas syringae*.** *A. Butt, C. Mousley, K. Morris, J. Beynon, C. Can, E. Holub, J.T. Greenberg and V. Buchanan-Wollaston*

223 **Functional analysis of regulatory sequences controlling PR-1 gene expression in Arabidopsis.** *E. Lebel, P. Heifetz, L. Thorne, S. Uknes, J. Ryals and E. Ward*

235 **Ozone-induced oxidative burst in the ozone biomonitor plant, tobacco Bel W3.** *M. Schraudner, W. Moeder, C. Wiese, W. Van Camp, D. Inzé, C. Langebartels and H. Sandermann Jr*

247 SHORT COMMUNICATION
Early post-embryonic root formation is specifically affected in the maize mutant *lrt1*. *F. Hochholdinger and G. Feix*

257 SHORT COMMUNICATION
Molecular characterization of CDSP 34, a chloroplastic protein induced by water deficit in *Solanum tuberosaum* L. plants, and regulation of *CDSP 34* expression by ABA and high illumination. *B. Gillet, A. Beyly, G. Peltier and P. Rey*

263 TECHNICAL ADVANCE
Towards functional characterisation of the members of the *R2R3-MYB* gene family from *Arabidopsis thaliana*. *H.D. Kranz, M. Denekamp, R. Greco, H. Jin, A. Leyva, R.C. Meissner, K. Petroni, A. Urzainqui, M. Bevan, C. Martin, S. Smeekens, C. Tonelli, J. Paz-Ares and B. Weisshaar*

Number 3 November 1998

277 **NADH oxidase activity of soybean plasma membranes oscillates with a temperature compensated period of 24 min.** *D.J. Morré and D.M. Morré*

285 **Molecular characterisation of a novel plant homeobox gene expressed in the maturing xylem zone of *Populus tremula* × *tremuloides*.** *M. Hertzberg and O. Olsson*

297 **Suppression of endogenous α and β tubulin synthesis in transgenic maize calli overexpressing α and β tubulins.** *R.G. Anthony and P.J. Hussey*

305 **The transient nature of the oligogalaturonide-induced ion fluxes of tobacco cells is not correlated with fragmentation of the oligogalaturonides.** *Y. Mathieu, J. Guern, M.D. Spiro, M.A. O'Neill, K. Kates, A.G. Darvill and P. Albersheim*

313 **Divalent cation gating of an ammonium permeable channel in the symbiotic membrane from soybean nodules.** *L.F. Whitehead, D.A. Day and S.D. Tyerman*

325 **Molecular characterization of higher plant NAD-dependent isocitrate dehydrogenase: evidence for a heteromeric structure by the complementation of yeast mutants.** *M. Lancien, P. Gadal and M. Hodges*

335 **A novel NADPH-dependent aldehyde reductase gene from *Vigna radiata* confers resistance to the grapevine fungal toxin eutypine.** *P. Guillén, M. Guis, G. Martínez-Reina, S. Colrat, S. Dalmayrac, C. Deswarte, M. Bouzayen, J.-P. Roustan, J. Fallot, J.-C. Pech and A. Latché*

345 **Reciprocal regulation of distinct asparagine synthetase genes by light and metabolites in *Arabidopsis thaliana*.** *H.-M. Lam, M.-H. Hsieh and G. Coruzzi*

355 ***BRANCHED SILKLESS* mediates the transition from spikelet to floral meristem during *Zea mays* ear development.** *L. Colombo, G. Marziani, S. Masiero, P.E. Wittich, R.J. Schmidt, M.S. Gorla and M.E. Pè*

365 SHORT COMMUNICATION
A flax transposon identified in two spontaneous mutant alleles of the *L6* rust resistance gene. *J.E. Luck, G.J. Lawrence, E.J. Finnegan, D.A. Jones and J.G. Ellis*

371 SHORT COMMUNICATION
Molecular characterization of the mutable *flaked* allele for flower variegation in the common morning glory. *Y. Habu, Y. Hisatomi and S. Iida*

377 TECHNICAL ADVANCE
Use of the IGF BAC library for physical mapping of the *Arabidopsis thaliana* genome. *T. Mozo, S. Fischer, S. Meier-Ewert, H. Lehrach and T. Altmann*

385 TECHNICAL ADVANCE
A rapid method to screen for cell-wall mutants using discriminant analysis of Fourier transform infrared spectra. *L. Chen, N.C. Carpita, W.-D. Reiter, R.H. Wilson, C. Jeffries and M.C. McCann*

393 TECHNICAL ADVANCE
A GFP-mouse talin fusion protein labels plant actin filaments *in vivo* and visualizes the actin cytoskeleton in growing pollen tubes. *B. Kost, P. Spielhofer and N.-H. Chua*

Number 4 November 1998

403 **Reduced inositol content and altered morphology in transgenic potato plants inhibited for 1D-*myo*-inositol 3-phosphate synthase.** *R. Keller, C.A. Brearley, R.N. Trethewey and B. Müller-Röber*

411 **Genetic identification of FIN2, a far red light-specific signaling component of *Arabidopsis thaliana*.** *M.S. Soh, S.H. Hong, H. Hanzawa, M. Furuya and H.G. Nam*

421 **cDNA cloning, gene expression and subcellular localization of anthocyanin 5-aromatic acyltransferase from *Gentiana triflora*.** *H. Fujiwara, Y. Tanaka, K. Yonekura-Sakakibara, M. Fukuchi-Mizutani, M. Nakao, Y. Fukui, M. Yamaguchi, T. Ashikari and T. Kusumi*

433 **Low temperature regulation of the *Arabidopsis* CBF family of AP2 transcriptional activators as an early step in cold-induced *COR* gene expression.** *S.J. Gilmour, D.G. Zarka, E.J. Stockinger, M.P. Salazar, J.M. Houghton and M.F. Thomashow*

443 **Molecular characterization of plastidic phosphoserine aminotransferase in serine biosynthesis from *Arabidopsis*.** *C.-L. Ho, M. Noji, M. Saito, M. Yamazaki and K. Saito*

453 **The plant PTS1 receptor: similarities and differences to its human and yeast counterparts.** *C. Wimmer, M. Schmid, M. Veenhuis and C. Gietl*

465 **The blue light receptor cryptochrome 1 can act independently of phytochrome A and B in *Arabidopsis thaliana*.** *C. Poppe, U. Sweere, H. Drumm-Herrel and E. Schäfer*

473 **Correlation of defense gene induction defects with powdery mildew susceptibility in *Arabidopsis* enhanced disease susceptibility mutants.** *T.L. Reuber, J.M. Plotnikova, J. Dewdney, E.E. Rogers, W. Wood and F.M. Ausubel*

487 **The endogenous choline supply limits glycine betaine synthesis in transgenic tobacco expressing choline monooxygenase.** *M.L. Nuccio, B.L. Russell, K.D. Nolte, B. Rathinasabapathi, D.A. Gage and A.D. Hanson*

497 **Transgenic plants changed in carbon allocation pattern display a shift in diurnal growth pattern.** *J. Kehr, F. Hustiak, C. Walz, L. Willmitzer and J. Fisahn*

505 TECHNICAL ADVANCE
Quantitative analysis of the local rates of growth of dicot leaves at a high temporal and spatial resolution, using image sequence analysis. *D. Schmundt, M. Stitt, B. Jähne and U. Schurr*

515 TECHNICAL ADVANCE
An oligo selection procedure for identification of sequence-specific DNA-binding activities associated with plant defence response. *Z. Wang, P. Yang, B. Fan and Z. Chen*

Number 5 December 1998

523 MINI-REVIEW
Regulation of arbuscule formation by carbon in the plant. *K.A. Blee and A.J. Anderson*

531 **Altered plastidic ATP/ADP-transporter activity influences potato (*Solanum tuberosum* L.) tuber morphology, yield and composition of tuber starch.** *J. Tjaden, T. Möhlmann, K. Kampfenkel, G. Henrichs and H.E. Neuhaus*

541 **Constituents of the tapetosomes and elaioplasts in *Brassica campestris* tapetum and their degradation and retention during microsporogenesis.** *J.T.L. Ting, S.S.H. Wu, C. Ratnayake and A.H.C. Huang*

553 **Auxin and ethylene promote root hair elongation in *Arabidopsis*.** *R.J. Pitts, A. Cernac and M. Estelle*

561 **C_6-volatiles derived from the lipoxygenase pathway induce a subset of defense-related genes.** *N.J. Bate and S.J. Rothstein*

571 **Plant chitinase/lysozome isoforms show distinct substrate specificity and cleavage site preference towards lipochitooligosaccharide Nod signals.** *M. Schultze, C. Staehelin, F. Brunner, I. Genetet, M. Legrand, B. Fritig, É. Kondorosi and Á. Kondorosi*

581 **Identification of a dual-specificity protein phosphatase that inactivates a MAP kinase from *Arabidopsis*.** *R. Gupta, Y. Huang, J. Kieber and S. Luan*

591 **A relic S-RNase is expressed in the styles of self-compatible *Nicotiana sylvestris*.** *J.F. Golz, A.E. Clarke, E. Newbigin and M. Anderson*

601 **Fatty acids and lysophospholipids as potential second messengers in auxin action. Rapid activation of phospholipase A_2 activity by auxin in suspension-cultured parsley and soybean cells.** *R.U. Paul, A. Holk and G.F.E. Scherer*

613 SHORT COMMUNICATION
A rice homolog of Cdk7/MO15 phosphorylates both cyclin-dependent protein kinases and the carboxy-terminal domain of RNA polymerase II. *M. Yamaguchi, M. Umeda and H. Uchimiya*

621 TECHNICAL ADVANCE
***In situ* monitoring of DNA: the plant nuclear envelope allows passage of short DNA fragments.** *A. Gisel, B. Rothen, V.A. Iglesias, I. Potrykus and C. Sautter*

627 TECHNICAL ADVANCE
Transient expression of green fluorescent protein in various plastid types following microprojectile bombardment. *J.M. Hibberd, P.J. Linley, M.S. Khan and J.C. Gray*

633 TECHNICAL ADVANCE
Use of a proteome strategy for tagging proteins present at the plasma membrane. *V. Santoni, D. Rouquié, P. Doumas, M. Mansion, M. Boutry, H. Degand, P. Dupree, L. Packman, J. Sherrier, T. Prime, G. Bauw, E. Posada, P. Rouzé, P. Dehais, I. Sahnoun, I. Barlier and M. Rossignol*

643 TECHNICAL ADVANCE
Retrotransposon-based insertion polymorphisms (RBIP) for high throughput marker analysis. *A.J. Flavell, M.R. Knox, S.R. Pearce and T.H.N. Ellis*

Number 6 December 1998

651 MINI-REVIEW
Transgene-induced gene silencing in plants. *H. Vaucheret, C. Béclin, T. Elmayan, F. Feuerbach, C. Godon, J.-B. Morel, P. Mourrain, J.-C. Palauqui and S. Vernhettes*

661 **Activation of plant defense responses and sugar efflux by expression of pyruvate decarboxylase in potato leaves.** *M. Tadege, M. Bucher, W. Stähli, M. Suter, I. Dupuis and C. Kuhlemeier*

673 **Direct repeats of T-DNA integrated in tobacco chromosome: characterization of junction regions.** *L. Krizkova and M. Hrouda*

681 **A history of stress alters drought calcium signalling pathways in *Arabidopsis*.** *H. Knight, S. Brandt and M.R. Knight*

689 **Interaction of maize actin-depolymerising factor with actin and phosphoinositides and its inhibition of plant phospholipase C.** *R.A. Gungabissoon, C.-J. Jiang, B.K. Drøbak, S.K. Maciver and P.J. Hussey*

697 **Treatment of *Vicia faba* root tip cells with specific inhibitors to cyclin-dependent kinases leads to abnormal spindle formation.** *P. Binarová, J. Doležel, E. Heberle-Bors, M. Strnad and L. Bögre*

709 **Mutational analyses of a type 2 peroxisomal targeting signal that is capable of directing oligomeric protein import into tobacco BY-2 glyoxysomes.** *C.R. Flynn, R.T. Mullen and R.N. Trelease*

721 **A *TY3/GYPSY* retrotransposon-like sequence localizes to the centromeric regions of cereal chromosomes.** *G.G. Presting, L. Malysheva, J. Fuchs and I. Schubert*

729 SHORT COMMUNICATION
The self-incompatibility (*S*) locus in *Petunia hybrida* is located on chromosome III in a region, syntenic for the Solanaceae. *R. ten Hoopen, R.M. Harbord, T. Maes, N. Nanninga and T.P. Robbins*

735 TECHNICAL ADVANCE
Floral dip: a simplified method for *Agrobacterium*-mediated transformation of *Arabidopsis thaliana*. *S.J. Clough and A.F. Bent*

745 **Author Index**

751 **Subject Index**